

TECHNICAL DATA SHEET

LOADING /
UNLOADING
TRUCK DOCK

NT 039 - V01 EN – november 2013




1. INTRODUCTION

This platform is designed for safety truck dock access, used by one person.

General description:

- Aluminum structure 100 x 30 mm
- Anti-slip ribbed aluminum depth 261 mm
- Covering aluminum sheet platform
- Handrail and guardrail Ø 40 mm – baseboard 150 mm
- 2 fixed wheels Ø 200 mm on the rear – 2 swivel wheels with brake Ø 200 mm on the front

2. COMPLIANCE




Reference	Description	Platform height H (mm)	Platform length Lg (mm)
F801030220	Loading / unloading dock	1400	3000

3. RANGE AND TECHNICAL CHARACTERISTICS

Reference	Number of steps	Platform height H (mm)	Width between baseboard (mm)	Overall width l (mm)	Overall length Lg (mm)	Overall height (mm)	Weight (kg)
F801030220	7	1400	634	997	4290	3045	135

4. COMPONENT LIST

Description	Nr.	Reference
Guardrail	1	F801030221
Gate	2	F801030222
Removable guardrail	3	F801030223
Side guardrail	4	F801030224
Rear guardrail	5	F801030225
Fixed wheel Ø 200mm	6	F030800020
Swivel wheel Ø 200mm	7	F030800025
Rubber feet	8	F030800011



5. SAFETY TIPS

MAXIMUM LOAD CAPACITY: 1 PERSON 150 KG

Before each use of the platform, verify by visual inspection the following:

- Good working of the step stool and its accessories
- Wear or lack thereof pads
- Possible presence of deformations of the elements
- Condition of welds
- Presence of the product identification label (attached to one of the profile)
- For replacement of some elements, use only original FORTAL elements

Tips for optimal use:

- Surfaces of use must be flat and not slippery
- The climb and descend of the platform always be done from the front
- Use suitable footwear providing safe support
- Never climb on the guardrails

Maintenance:

Clean regularly the sliding parts with a cloth to avoid damage the guidance system.

6. WARRANTY

FORTAL guarantees its own manufactured products (excepting specific clauses accepted by the customer and FORTAL) for a period of 2 years from the delivery date (date given on the delivery slip) against all manufacturing defects, except for:

- Labour costs and travelling costs
- Wear and tear due to impacts, a lack of maintenance, shocks, etc.
- Use in inappropriate conditions or conditions that do not comply with those defined herein or installations that do not comply with the user installation instructions.

Any other compensation is formally excluded from the warranty, including operating loss, damage incurred and any prejudice whatsoever subsequent to using our manufactured products.

Any modification, repair or replacement of parts during the warranty period does not extend the period of cover.

Should our manufactured products be modified outside our production site without our prior written agreement, FORTAL's liability cannot be incurred.